

令和6年度

調査結果一覧

NO.	採水場所	採水日	採水時間	気温 ℃	水温 ℃	pH	DO mg/ℓ	BOD mg/ℓ	COD mg/ℓ	SS mg/ℓ	大腸菌群数 CFU/100ml	全窒素 mg/ℓ	全磷 mg/ℓ	アンモニア性窒素 mg/ℓ	陰イオン界面活性剤 mg/ℓ	電気伝導率 mS/m	塩素イオン mg/ℓ
1	兄川上流	R6.5.22	10:00	17.5	11.2	7.5	9.6	<0.5	1.0	22	230	1.0	0.019		<0.02	10	
		R6.8.21	9:35	24.8	17.9	7.5	8.5	<0.5	1.5	5.4	100	0.87	0.011		<0.02	9.9	
		R6.11.13	9:55	12.8	9.8	7.8	10	<0.5	1.3	2.7	26	0.86	0.019		<0.02	9.6	
		R7.2.4	10:15	1.8	3.0	7.4	12	<0.5	0.7	0.5	2	0.57	0.011		<0.02	10	
2	兄川下流	R6.5.22	9:25	24.3	16.7	7.5	9.5	0.8	2.8	21	560	0.67	0.069		0.03	12	
		R6.8.21	9:05	31.5	23.7	7.7	8.1	0.5	2.9	7.0	200	0.76	0.048		<0.02	11	
		R6.11.13	9:20	19.5	12.5	7.8	11	<0.5	1.6	2.5	270	1.1	0.042		<0.02	11	
		R7.2.4	9:45	4.3	6.0	7.6	13	1.1	1.9	2.5	60	0.84	0.029		<0.02	12	
3	五ヶ村堰上流	R6.5.22	11:20	26.9	12.9	7.2	11	0.5	1.9	1.6	24	0.43	0.006		<0.02	4.6	
		R6.8.21	11:00	32.0	20.4	7.4	9.0	<0.5	2.0	1.8	76	0.52	<0.006		<0.02	5.3	
		R6.11.13	11:30	17.4	12.5	7.5	11	<0.5	1.9	0.8	56	0.68	0.010		<0.02	5.8	
		R7.2.4	11:50	9.2	6.8	7.5	12	0.7	0.9	<0.5	28	0.63	0.007		<0.02	6.9	
4	五ヶ村堰下流	R6.5.22	15:25	25.2	20.3	7.4	8.9	1.7	3.4	13	2700	1.3	0.068		0.03	7.2	
		R6.8.21	14:45	31.9	28.6	8.4	8.3	0.9	2.9	4.6	3600	1.4	0.11		0.03	8.8	
		R6.11.13	15:40	17.2	14.1	7.4	9.9	0.7	3.7	9.0	300	1.6	0.084		0.02	7.6	
		R7.2.4	15:50	6.8	6.0	7.5	12	1.4	2.1	2.3	2600	1.1	0.055		0.03	8.3	
5	小原堰上流	R6.5.22	10:35	25.3	14.7	7.4	10	0.8	3.0	13	180	0.9	0.010		<0.02	6.0	
		R6.8.21	10:05	30.5	22.0	7.7	8.7	0.6	2.2	4.0	330	0.61	0.008		<0.02	6.1	
		R6.11.13	10:30	18.3	13.0	7.6	11	<0.5	1.9	1.3	50	0.81	0.012		<0.02	6.3	
		R7.2.4	11:00	6.5	5.5	7.6	13	0.7	1.3	0.8	30	0.78	0.013		<0.02	8.1	
6	小原堰下流	R6.5.22	15:05	27.5	21.0	7.9	9.2	1.2	3.0	9.6	840	0.93	0.033		0.04	6.4	
		R6.8.21	14:30	33.0	27.2	8.5	8.9	0.8	3.3	5.3	360	0.77	0.024		<0.02	6.4	
		R6.11.13	15:20	17.1	14.5	7.6	10	0.8	2.9	2.0	280	0.92	0.029		<0.02	7.0	
		R7.2.4	15:35	7.2	6.0	7.6	13	1.0	1.9	1.5	240	0.80	0.018		<0.02	8.3	
7	差出ノ堰上流	R6.5.22	9:10	23.0	15.5	7.5	11	0.8	2.6	10	280	0.89	0.021		0.02	7.3	
		R6.8.21	8:55	30.0	22.0	7.8	9.0	0.6	2.4	5.6	340	0.74	0.020		<0.02	6.5	
		R6.11.13	9:00	15.3	11.9	7.6	11	<0.5	1.9	1.6	200	0.93	0.019		<0.02	7.4	
		R7.2.4	9:20	6.3	6.5	7.6	13	0.7	1.5	0.7	160	0.97	0.024		<0.02	9.2	
8	差出ノ堰下流	R6.5.22	8:50	23.8	16.2	7.4	10	1.0	3.2	13	1200	1.0	0.026		0.02	7.3	
		R6.8.21	8:40	30.8	23.6	7.4	8.8	1.2	3.5	12	700	1.1	0.055		<0.02	7.7	
		R6.11.13	8:40	14.1	12.2	7.5	11	0.7	1.9	4.0	100	1.2	0.034		<0.02	8.1	
		R7.2.4	9:00	6.1	5.3	7.4	13	1.1	2.3	1.6	1300	1.1	0.038		0.04	9.8	
9	西川上流	R6.5.22	11:10	26.0	18.7	7.5	8.2	0.9	5.3	18	800	2.2	0.081		0.03	13	
		R6.8.21	10:45	32.3	25.2	7.4	7.1	1.0	4.4	4.0	1400	0.82	0.15		<0.02	15	
		R6.11.13	11:10	18.8	15.2	7.5	8.8	<0.5	3.6	8.0	1800	1.8	0.071		<0.02	13	
		R7.2.4	11:35	6.8	6.2	7.4	10	2.9	6.7	4.3	2700	0.71	0.067		0.02	11	
10	西川下流	R6.5.22	10:50	23.9	18.2	7.6	10	1.3	3.6	13	500	1.9	0.074		0.03	14	
		R6.8.21	10:20	29.5	26.2	7.9	8.5	1.2	3.4	4.8	500	2.3	0.17		0.03	18	
		R6.11.13	10:50	18.3	13.0	7.6	9.8	1.0	3.3	4.9	200	2.3	0.11		0.02	14	
		R7.2.4	11:15	6.8	7.8	7.6	12	1.6	2.7	1.4	360	2.3	0.085		0.09	15	
11	琴川上流	R6.5.22	13:35	23.8	15.0	7.4	9.7	0.9	2.6	6.1	70	0.87	0.038		<0.02	6.4	
		R6.8.21	13:00	29.6	21.7	7.6	8.1	0.7	2.7	6.0	90	1.1	0.085		<0.02	7.4	
		R6.11.13	13:40	15.5	12.2	7.7	10	0.9	2.2	2.5	30	1.1	0.088		<0.02	6.6	
		R7.2.4	14:00	4.8	4.2	7.5	12	<0.5	1.4	0.8	820	0.99	0.076		<0.02	8.0	
12	琴川下流	R6.5.22	13:50	25.3	15.7	7.4	9.6	1.0	3.3	13	150	0.92	0.046		<0.02	6.6	
		R6.8.21	13:15	30.6	22.8	7.6	8.2	0.6	3.4	6.9	220	0.93	0.11		<0.02	8.2	
		R6.11.13	13:55	18.0	13.0	7.6	10	0.6	2.2	2.5	68	1.2	0.072		<0.02	7.5	
		R7.2.4	14:15	7.0	5.8	7.5	12	<0.5	1.4	0.8	28	1.2	0.054		<0.02	9.4	
13	鼓川上流	R6.5.22	12:05	24.5	14.1	7.5	9.6	0.5	2.4	7.1	32	0.65	0.012		<0.02	6.6	
		R6.8.21	11:45	29.8	21.1	7.6	8.4	<0.5	2.4	5.6	380	0.66	0.017		<0.02	7.4	
		R6.11.13	12:15	17.2	11.8	7.6	10	<0.5	2.0	2.9	52	0.64	0.013		<0.02	6.6	
		R7.2.4	12:30	7.0	4.1	7.6	12	<0.5	0.7	0.5	36	0.48	<0.006		<0.02	7.5	
14	鼓川下流	R6.5.22	11:40	23.0	16.2	7.5	9.5	0.7	2.3	8.4	230	1.3	0.026		0.02	8.6	
		R6.8.21	11:25	31.7	24.0	7.8	8.5	0.5	2.7	6.6	320	1.3	0.047		<0.02	9.9	
		R6.11.13	11:50	17.2	12.5	7.6	10	0.6	2.2	3.2	340	1.3	0.030		<0.02	8.8	
		R7.2.4	12:10	6.8	5.8	8.3	13	0.7	1.2	0.6	200	1.2	0.019		<0.02	9.9	
15	北原上道	R6.5.22	13:00	24.1	14.4	7.4	9.5	<0.5	2.2	6.1	140	0.91	0.012		<0.02	6.8	
		R6.8.21	12:05	29.5	20.9	7.5	8.6	1.4	2.4	9.7	160	0.55	0.031		<0.02	7.5	
		R6.11.13	13:05	19.8	11.7	7.6	10	<0.5	1.7	2.2	8	0.69	0.012		<0.02	6.8	
		R7.2.4	13:10	6.0	4.5	7.6	12	<0.5	0.5	0.6	22	0.48	0.008		<0.02	7.8	
16	千野々宮	R6.5.22	13:20	23.6	14.7	7.4	9.7	0.7	1.9	6.0	500	0.67	0.025		<0.02	6.7	
		R6.8.21	12:45	31.8	23.5	7.6	8.2	0.6	2.1	6.0	260	0.61	0.038		0.03	6.7	
		R6.11.13	13:30	18.2	13.0	7.6	10	<0.5	2.4	5.0	100	0.75	0.028		<0.02	6.2	
		R7.2.4	13:40	7.0	4.5	7.5	13	0.8	1.6	1.6	330	0.47	0.016		0.03	6.5	
17	徳和川上流	R6.5.22	14:10	18.5	11.5	7.5	10	<0.5	1.3	0.6	2	0.33	0.011		<0.02	3.7	
		R6.8.21	13:40	24.0	18.0	7.6	8.8	<0.5	1.0	0.7	56	0.54	<0.006		<0.02	4.3	
		R6.11.13	14:20	13.0	9.5	7.6	10	<0.5	1.3	<0.5	10	0.58	<0.006		<0.02	3.8	
		R7.2.4	14:40	4.2	3.5	7.6	13	<0.5	1.2	1.8	2	0.50	<0.006		<0.02	4.1	
18	徳和川下流	R6.5.22	14:30	23.0	14.5	7.4	9.9	<0.5	1.4	1.5	22	0.58	0.014		<0.02	6.3	
		R6.8.21	14:00	28.8	21.3	7.7	8.8	<0.5	2.4	1.4	200	1.2	0.016		<0.02	10	
		R6.11.13	14:45	16.5	10.2	7.6	10	<0.5	1.5	0.9	44	0.80	<0.006		<0.02	6.4	
		R7.2.4	13:05	6.1	3.8	7.6	13	<0.5	1.1	<0.5	18	0.81	0.010		<0.02	13	

NO.	採水場所	採水日	採水時間	気温 ℃	水温 ℃	pH	DO mg/ℓ	BOD mg/ℓ	COD mg/ℓ	SS mg/ℓ	大腸菌群数 CFU/100ml	全窒素 mg/ℓ	全燐 mg/ℓ	アンモニア性窒素 mg/ℓ	陰イオン界面活性剤 mg/ℓ	電気伝導率 mS/m	塩素イオン mg/ℓ
-----	------	-----	------	---------	---------	----	------------	-------------	-------------	------------	--------------------	-------------	------------	------------------	-------------------	---------------	---------------